



22 Way Dark Gray Micro-Pack 100 Sealed Female Connector, Max Current 5 amps

Part #12065875



Part # :	12065875
Description :	22 Way Dark Gray Micro-Pack 100 Sealed Female Connector, Max Current 5 amps
Product Type :	Connector
Status :	✓ Active
Family :	Micro-Pack
Series :	1.0
Cavities :	22
Terminal(s) blade size [mm] :	1.0
Sealed :	Sealed
Gender :	Female
Temperature range [°C] :	-40 to 85
Material :	PBT
Weight [g] :	26.35
Color :	Gray Dark

Product Brochure Family or product specific information including part numbers, key technical attributes and mating products

 [Micro Pack 100 Inline --> 2003-04 Global Connection Systems Catalog](#)

 [Micro Pack Series --> 2003-04 Global Connection Systems Catalog](#)

 [Data Sheet - Micro-Pack Connection System](#)

2D Drawing 2D technical product drawings

 [12064718_sheet_2](#)

 [12065875_PLN01_S01.tif](#)

Assembly Instructions Assembly and disassembly instructions showing steps of component assembly. This documentation is dedicated to either Harness plants or OEM plants.

 [Assembly Instructions: Micro-Pack 100 Inline Connection System](#)


Options

Part Number	Type	Part Description
12084202	Terminal	Micro-Pack 100 Series Female Sealed Gold Plating Terminal, Cable Range 0.35 - 0.50 mm2


12124669	Seal	Tan Individual Band Cable Seals on Mylar Coil
15305172	Seal	Tan Individual Loose Round 1 Way Cable Cavity Plug Seal
15344953	Seal	Blue Individual Band Cable Seals on Mylar Coil
15366063	Seal	Gray Individual Loose Round 1 Way Cable GT Seal
15324982	Seal	Green Individual Loose Round 1 Way Cable Cavity Seal
15324818	Seal	Orange Individual Loose Cable Seal
12048327	Terminal	Micro-Pack 100 Series Female Sealed Tin Plating Terminal, Cable Range 0.50 - 1.00 mm2
12059168	Seal	Red-Dark Individual Loose Round 1 Way Cable Cavity Plug Seal
12129926	Seal	Orange Individual Loose Cable Seal
12084193	Seal	Tan Individual Loose Cable Seal
15324981	Seal	Blue Individual Loose Round 1 Way Cable Metri-Pack Seal
15324979	Seal	Gray Individual Loose Round 1 Way Cable Metri-Pack Seal
15393249	Seal	Green Individual Loose Cable Seal
15324974	Seal	Blue Individual Loose Round 1 Way Cable Cavity Seal
15324976	Seal	White Individual Loose Cable Seal
15324973	Seal	Red-Bright Individual Loose Round 1 Way Cable Cavity Seal








22 Way Micro-Pack 100 Sealed Female Connector, Max Current 5 amps Part #12065876

No Data Available



22 Way Green Micro-Pack 100 Sealed Female Connector, Max Current 5 amps
Part #12065877









Part # :	12065877
Description :	22 Way Green Micro-Pack 100 Sealed Female Connector, Max Current 5 amps
Product Type :	Connector
Status :	✓ Active
Family :	Micro-Pack
Series :	1.0
Cavities :	22
Terminal(s) blade size [mm] :	1.0
Sealed :	Sealed
Gender :	Female
Temperature range [°C] :	-40 to 85
Material :	PBT
Weight [g] :	26.35
Color :	Green
Product Brochure Family or product specific information including part numbers, key technical attributes and mating products	
 Micro Pack 100 Header --> 2003-04 Global Connection Systems Catalog	
 Micro Pack 100 Inline --> 2003-04 Global Connection Systems Catalog	
 Micro Pack Series --> 2003-04 Global Connection Systems Catalog	
 Data Sheet - Micro-Pack Connection System	
2D Drawing 2D technical product drawings	
 12064718_sheet_2	
 12065877_PLN01_S01.tif	
Assembly Instructions Assembly and disassembly instructions showing steps of component assembly. This documentation is dedicated to either Harness plants or OEM plants.	
 Assembly Instructions: Micro-Pack 100 Inline Connection System	
Options	

Part Number	Type	Part Description
12048327	Terminal	Micro-Pack 100 Series Female Sealed Tin Plating Terminal, Cable Range 0.50 - 1.00 mm2
15324974	Seal	Blue Individual Loose Round 1 Way Cable Cavity Seal
15324981	Seal	Blue Individual Loose Round 1 Way Cable Metri-Pack Seal
12129926	Seal	Orange Individual Loose Cable Seal
15305172	Seal	Tan Individual Loose Round 1 Way Cable Cavity Plug Seal
12059168	Seal	Red-Dark Individual Loose Round 1 Way Cable Cavity Plug Seal
15324982	Seal	Green Individual Loose Round 1 Way Cable Cavity Seal
12124669	Seal	Tan Individual Band Cable Seals on Mylar Coil
15324818	Seal	Orange Individual Loose Cable Seal
15393249	Seal	Green Individual Loose Cable Seal
12084202	Terminal	Micro-Pack 100 Series Female Sealed Gold Plating Terminal, Cable Range 0.35 - 0.50 mm2
15344953	Seal	Blue Individual Band Cable Seals on Mylar Coil
15366063	Seal	Gray Individual Loose Round 1 Way Cable GT Seal
15324973	Seal	Red-Bright Individual Loose Round 1 Way Cable Cavity Seal
15324979	Seal	Gray Individual Loose Round 1 Way Cable Metri-Pack Seal
15324976	Seal	White Individual Loose Cable Seal
12084193	Seal	Tan Individual Loose Cable Seal

22 Way Brown Micro-Pack 100 Sealed Female Connector, Max Current 5 amps

Part #12065878



Part # :	12065878
Description :	22 Way Brown Micro-Pack 100 Sealed Female Connector, Max Current 5 amps
Product Type :	Connector
Status :	✓ Active
Family :	Micro-Pack
Series :	1.0
Cavities :	22
Terminal(s) blade size [mm] :	1.0
Sealed :	Sealed
Gender :	Female
Temperature range [°C] :	-40 to 85
Material :	PBT
Weight [g] :	26.35
Color :	Brown
Application :	Inline (Wire to Wire)
Product Brochure Family or product specific information including part numbers, key technical attributes and mating products	
 Micro Pack 100 Header --> 2003-04 Global Connection Systems Catalog	
 Micro Pack 100 Inline --> 2003-04 Global Connection Systems Catalog	
 Micro Pack Series --> 2003-04 Global Connection Systems Catalog	
 Data Sheet - Micro-Pack Connection System	
2D Drawing 2D technical product drawings	
 12064718 sheet 2	
Assembly Instructions Assembly and disassembly instructions showing steps of component assembly. This	

documentation is dedicated to either Harness plants or OEM plants.


 [Assembly Instructions: Micro-Pack 100 Inline Connection System](#)

Options

Part Number	Type	Part Description
12059168	Seal	Red-Dark Individual Loose Round 1 Way Cable Cavity Plug Seal
12084202	Terminal	Micro-Pack 100 Series Female Sealed Gold Plating Terminal, Cable Range 0.35 - 0.50 mm2
15324981	Seal	Blue Individual Loose Round 1 Way Cable Metri-Pack Seal
15305172	Seal	Tan Individual Loose Round 1 Way Cable Cavity Plug Seal
12124669	Seal	Tan Individual Band Cable Seals on Mylar Coil
15324979	Seal	Gray Individual Loose Round 1 Way Cable Metri-Pack Seal
15344953	Seal	Blue Individual Band Cable Seals on Mylar Coil
15366063	Seal	Gray Individual Loose Round 1 Way Cable GT Seal
15324818	Seal	Orange Individual Loose Cable Seal
15393249	Seal	Green Individual Loose Cable Seal
15324973	Seal	Red-Bright Individual Loose Round 1 Way Cable Cavity Seal
12129926	Seal	Orange Individual Loose Cable Seal
15324974	Seal	Blue Individual Loose Round 1 Way Cable Cavity Seal
12084193	Seal	Tan Individual Loose Cable Seal
15324976	Seal	White Individual Loose Cable Seal
12048327	Terminal	Micro-Pack 100 Series Female Sealed Tin Plating Terminal, Cable Range 0.50 - 1.00 mm2
15324982	Seal	Green Individual Loose Round 1 Way Cable Cavity Seal

10 Way Brown Micro-Pack 100 Sealed Female Connector, Max Current 5 amps


Part #12092467



Part # :	12092467
Description :	10 Way Brown Micro-Pack 100 Sealed Female Connector, Max Current 5 amps
Product Type :	Connector
Status :	✓ Active
Family :	Micro-Pack
Series :	1.0
Cavities :	10
Terminal(s) blade size [mm] :	1.0
Sealed :	Sealed
Gender :	Female
Temperature range [°C] :	-40 to 85
Material :	PBT
Weight [g] :	26.42
Color :	Brown

Product Brochure Family or product specific information including part numbers, key technical attributes and mating products


 [Micro Pack 100 Header --> 2003-04 Global Connection Systems Catalog](#)

 [Micro Pack 100 Inline --> 2003-04 Global Connection Systems Catalog](#)

 [Micro Pack Series --> 2003-04 Global Connection Systems Catalog](#)

 [Data Sheet - Micro-Pack Connection System](#)


2D Drawing 2D technical product drawings

 [12064718 sheet 2](#)

 [12092467 PLN01 S01](#)

Assembly Instructions Assembly and disassembly instructions showing steps of component assembly. This

documentation is dedicated to either Harness plants or OEM plants.


 [Assembly Instructions: Micro-Pack 100 Inline Connection System](#)

Options

Part Number	Type	Part Description
15366063	Seal	Gray Individual Loose Round 1 Way Cable GT Seal
15324976	Seal	White Individual Loose Cable Seal
15324979	Seal	Gray Individual Loose Round 1 Way Cable Metri-Pack Seal
15344953	Seal	Blue Individual Band Cable Seals on Mylar Coil
15324974	Seal	Blue Individual Loose Round 1 Way Cable Cavity Seal
15324981	Seal	Blue Individual Loose Round 1 Way Cable Metri-Pack Seal
15324973	Seal	Red-Bright Individual Loose Round 1 Way Cable Cavity Seal
12084202	Terminal	Micro-Pack 100 Series Female Sealed Gold Plating Terminal, Cable Range 0.35 - 0.50 mm2
15324982	Seal	Green Individual Loose Round 1 Way Cable Cavity Seal
12124669	Seal	Tan Individual Band Cable Seals on Mylar Coil
12129926	Seal	Orange Individual Loose Cable Seal
15393249	Seal	Green Individual Loose Cable Seal
12048327	Terminal	Micro-Pack 100 Series Female Sealed Tin Plating Terminal, Cable Range 0.50 - 1.00 mm2
12084193	Seal	Tan Individual Loose Cable Seal
15305172	Seal	Tan Individual Loose Round 1 Way Cable Cavity Plug Seal
12059168	Seal	Red-Dark Individual Loose Round 1 Way Cable Cavity Plug Seal
15324818	Seal	Orange Individual Loose Cable Seal

13 Way Red Micro-Pack 100 Sealed Female Connector, Max Current 5 amps

Part #12092469



Part # :	12092469
Description :	13 Way Red Micro-Pack 100 Sealed Female Connector, Max Current 5 amps
Product Type :	Connector
Status :	✓ Active
Family :	Micro-Pack
Series :	1.0
Cavities :	13
Terminal(s) blade size [mm] :	1.0
Sealed :	Sealed
Gender :	Female
Temperature range [°C] :	-40 to 85
Material :	PBT
Weight [g] :	26.4
Color :	Red

Product Brochure Family or product specific information including part numbers, key technical attributes and mating products


 [Micro Pack 100 Header --> 2003-04 Global Connection Systems Catalog](#)

 [Micro Pack 100 Inline --> 2003-04 Global Connection Systems Catalog](#)

 [Micro Pack Series --> 2003-04 Global Connection Systems Catalog](#)

 [Data Sheet - Micro-Pack Connection System](#)


2D Drawing 2D technical product drawings

 [12064718 sheet 2](#)

 [12092469 PLN01 S01](#)

Assembly Instructions Assembly and disassembly instructions showing steps of component assembly. This

documentation is dedicated to either Harness plants or OEM plants.


 [Assembly Instructions: Micro-Pack 100 Inline Connection System](#)






Options

Part Number	Type	Part Description
12084202	Terminal	Micro-Pack 100 Series Female Sealed Gold Plating Terminal, Cable Range 0.35 - 0.50 mm2
15393249	Seal	Green Individual Loose Cable Seal
15324979	Seal	Gray Individual Loose Round 1 Way Cable Metri-Pack Seal
15324976	Seal	White Individual Loose Cable Seal
15324981	Seal	Blue Individual Loose Round 1 Way Cable Metri-Pack Seal
12059168	Seal	Red-Dark Individual Loose Round 1 Way Cable Cavity Plug Seal
15324974	Seal	Blue Individual Loose Round 1 Way Cable Cavity Seal
15324973	Seal	Red-Bright Individual Loose Round 1 Way Cable Cavity Seal
15344953	Seal	Blue Individual Band Cable Seals on Mylar Coil
15366063	Seal	Gray Individual Loose Round 1 Way Cable GT Seal
12084193	Seal	Tan Individual Loose Cable Seal
15324982	Seal	Green Individual Loose Round 1 Way Cable Cavity Seal
12124669	Seal	Tan Individual Band Cable Seals on Mylar Coil
12048327	Terminal	Micro-Pack 100 Series Female Sealed Tin Plating Terminal, Cable Range 0.50 - 1.00 mm2
15305172	Seal	Tan Individual Loose Round 1 Way Cable Cavity Plug Seal
12129926	Seal	Orange Individual Loose Cable Seal
15324818	Seal	Orange Individual Loose Cable Seal

20 Way Dark Gray Micro-Pack 100 Sealed Female Connector, Max Current 5 amps

Part #12092470



Part # :	12092470
Description :	20 Way Dark Gray Micro-Pack 100 Sealed Female Connector, Max Current 5 amps
Product Type :	Connector
Status :	✓ Active
Family :	Micro-Pack
Series :	1.0
Cavities :	20
Terminal(s) blade size [mm] :	1.0
Sealed :	Sealed
Gender :	Female
Temperature range [°C] :	-40 to 85
Material :	PBT
Weight [g] :	26.36
Color :	Gray Dark
Product Brochure Family or product specific information including part numbers, key technical attributes and mating products	
 Micro Pack 100 Header --> 2003-04 Global Connection Systems Catalog	
 Micro Pack 100 Inline --> 2003-04 Global Connection Systems Catalog	
 Micro Pack Series --> 2003-04 Global Connection Systems Catalog	
 Data Sheet - Micro-Pack Connection System	
2D Drawing 2D technical product drawings	
 12064718 sheet 2	
Assembly Instructions Assembly and disassembly instructions showing steps of component assembly. This documentation is dedicated to either Harness plants or OEM plants.	




Assembly Instructions: [Micro-Pack 100 Inline Connection System](#)

Options

Part Number	Type	Part Description
15344953	Seal	Blue Individual Band Cable Seals on Mylar Coil
15324973	Seal	Red-Bright Individual Loose Round 1 Way Cable Cavity Seal
15324979	Seal	Gray Individual Loose Round 1 Way Cable Metri-Pack Seal
12084193	Seal	Tan Individual Loose Cable Seal
15324981	Seal	Blue Individual Loose Round 1 Way Cable Metri-Pack Seal
15305172	Seal	Tan Individual Loose Round 1 Way Cable Cavity Plug Seal
12059168	Seal	Red-Dark Individual Loose Round 1 Way Cable Cavity Plug Seal
15366063	Seal	Gray Individual Loose Round 1 Way Cable GT Seal
15393249	Seal	Green Individual Loose Cable Seal
15324976	Seal	White Individual Loose Cable Seal
12048327	Terminal	Micro-Pack 100 Series Female Sealed Tin Plating Terminal, Cable Range 0.50 - 1.00 mm ²
15324818	Seal	Orange Individual Loose Cable Seal
12124669	Seal	Tan Individual Band Cable Seals on Mylar Coil
15324974	Seal	Blue Individual Loose Round 1 Way Cable Cavity Seal
15324982	Seal	Green Individual Loose Round 1 Way Cable Cavity Seal
12084202	Terminal	Micro-Pack 100 Series Female Sealed Gold Plating Terminal, Cable Range 0.35 - 0.50 mm ²
12129926	Seal	Orange Individual Loose Cable Seal

15 Way Black Micro-Pack 100 Sealed Female Connector, Max Current 5 amps


Part #12066653



Part # :	12066653
Description :	15 Way Black Micro-Pack 100 Sealed Female Connector, Max Current 5 amps
Product Type :	Connector
Status :	✓ Active
Family :	Micro-Pack
Series :	1.0
Cavities :	15
Terminal(s) blade size [mm] :	1.0
Sealed :	Sealed
Gender :	Female
Temperature range [°C] :	-40 to 85
Material :	PBT
Weight [g] :	29.7
Color :	Black

Product Brochure Family or product specific information including part numbers, key technical attributes and mating products


 [Micro Pack 100 Header --> 2003-04 Global Connection Systems Catalog](#)

 [Micro Pack 100 Inline --> 2003-04 Global Connection Systems Catalog](#)

 [Micro Pack Series --> 2003-04 Global Connection Systems Catalog](#)

 [Data Sheet - Micro-Pack Connection System](#)

2D Drawing 2D technical product drawings

 [12064718 sheet 1](#)

Assembly Instructions Assembly and disassembly instructions showing steps of component assembly. This documentation is dedicated to either Harness plants or OEM plants.




[Assembly Instructions: Micro-Pack 100 Inline Connection System](#)





Options

Part Number	Type	Part Description
15324818	Seal	Orange Individual Loose Cable Seal
12059168	Seal	Red-Dark Individual Loose Round 1 Way Cable Cavity Plug Seal
15393249	Seal	Green Individual Loose Cable Seal
15344953	Seal	Blue Individual Band Cable Seals on Mylar Coil
12084202	Terminal	Micro-Pack 100 Series Female Sealed Gold Plating Terminal, Cable Range 0.35 - 0.50 mm ²
12048327	Terminal	Micro-Pack 100 Series Female Sealed Tin Plating Terminal, Cable Range 0.50 - 1.00 mm ²
15324974	Seal	Blue Individual Loose Round 1 Way Cable Cavity Seal
15324981	Seal	Blue Individual Loose Round 1 Way Cable Metri-Pack Seal
12129926	Seal	Orange Individual Loose Cable Seal
12084193	Seal	Tan Individual Loose Cable Seal
15324979	Seal	Gray Individual Loose Round 1 Way Cable Metri-Pack Seal
15324976	Seal	White Individual Loose Cable Seal
12124669	Seal	Tan Individual Band Cable Seals on Mylar Coil
15366063	Seal	Gray Individual Loose Round 1 Way Cable GT Seal
15305172	Seal	Tan Individual Loose Round 1 Way Cable Cavity Plug Seal
15324973	Seal	Red-Bright Individual Loose Round 1 Way Cable Cavity Seal
15324982	Seal	Green Individual Loose Round 1 Way Cable Cavity Seal

Blue Connector Seal

Part #12092508



Part # :	12092508
Description :	Blue Connector Seal
Product Type :	Seal
Status :	 Active
Seal Type :	Connector
Color :	Blue
Weight [g] :	7.1
ELV compliant :	 Yes
RoHs compliant :	 Yes
2D Drawing 2D technical product drawings	
 12092508 sheet 1	

3330 TRK – NON-RACHETING TERMINAL REPAIR KIT WITH FIVE CRIMP TOOLS & TERMINAL REPAIR INSTRUCTION MANUAL



Kit includes:

- Crimp Tools for Weather Pack, Metri-Pack, Micro-Pack, Solid Circular Terminals and more
- 3301 WPCT Weather Pack Terminals 14-20 AWG Crimp Tool
- 3302 WPCT Weather Pack Terminals 10-12 AWG Crimp Tool
- 3303 64 CT .64mm Contacts Crimp Tool
- 3305 MPCT Metri-Pack Unsealed Crimp Tool
- 3306 MPCT Metri-Pack Sealed Crimp Tool
- Terminal Repair Instruction Manual makes it easy to match up terminals to tools. It includes:
 - Terminal Manual. Number/Crimp Tool Number Matrix
 - Terminal Repair Procedures and Quality Checks
- Tool Chest Storage Tray
- For More Info See Individual Crimp Tool Descriptions

GM TO SARGENT'S RACHETING TERMINAL CRIMPING TOOL CROSSOVER CHART

GM Tool #	SARGENT® Equivalent
06285847	3181CT
08913440	3182 LCT
12014254	3138 CT
12039500	3188 CT
12070947	3184 LCT
12071687	3185 CT
12085115	3190 CT
12085270	3183 CT
12085270	3186 CT
12085271	3187 CT
12155975	3189 CT